Breakfast Bowl

An everyday bowl with enough room to stir breakfast.



- Cobalt
- Monochrome
- Sage
- Blush

An everyday bowl with enough room to stir breakfast. The silhouette belongs to a coordinated table family, with colour kept secondary to a useful eating surface. Proposed colours share the same geometry.

Useful by design

- Broad opening
- Smooth pale interior
- Compact nesting profile

Use, without extra steps

1. Add cereal or yoghurt below the rim
2. Leave room for fruit and stirring
3. Dry the foot before nesting

Proposed material system

Proposed: High-fired stoneware with smooth two-colour glaze.

Target dimensions

Proposed target: 17 cm diameter × 6 cm; 650 ml brim target

Proposed bill of materials

Proposed BOM: High-fired stoneware with smooth two-colour glaze.

Manufacturing route

Form and trim one body, apply interior and exterior glazes, fire and polish the foot.

Care to validate

Proposed care: wash with mild detergent and a soft brush or sponge; rinse and dry completely. Dishwasher suitability and maximum temperature remain unvalidated.

Packaging and delivery

Stack-compatible corrugated carton with moulded-fibre separators that isolate rims and feet; validate parcel drop and vibration resistance before shipping.

The work behind the object.

Targets below are a proposed development protocol. They are not completed tests, certifications or consumer instructions.

Proposed validation gates

• Stir a 350 ml cereal serving without loss in a user trial

• Nest six bowls and check release after washing

• Confirm material composition, food-contact migration and colourant suitability with a qualified lab for the intended market and use.

• Proposed pilot target: 100 wash cycles with no loose parts, cracks or unacceptable surface change; final protocol to be agreed with the manufacturer.

• Test lead/cadmium migration, glaze crazing and thermal-shock behaviour; no microwave or dishwasher claim before validation.

Risks to resolve

• Overfilling still causes spills

• Glaze and foot tolerances affect stackability

Design refinement

Set a generous rim-to-fill margin so cereal can be stirred without immediate overflow.

Four finishes. One product geometry.

Approve physical color masters and lot traceability. Each pigment, glaze or coating change requires review. The render is a visual target; it is not a color standard.

Intellectual property review

No freedom-to-operate opinion or trademark clearance has been completed. Before tooling, freeze this design revision, choose manufacturing and sales territories, and have qualified counsel compare relevant patent claims and design rights with the actual CAD. Screen ODDOLI and the red-dot identity separately.

Commercial release gate

Obtain comparable supplier quotes for the final drawing, material, tooling, minimum order, packaging and inspection plan. Calculate landed cost, channel fees, returns and customer acquisition before setting a launch price. No cost, margin or demand forecast is verified for this concept.

Primary reference framework

WIPO: Launching a New Product, Freedom to Operate

USPTO: Comprehensive Clearance Search for Similar Trademarks

European Commission: Guidelines on the EU General Product Safety Legislative Framework

FDA: Determining the Regulatory Status of Components of a Food Contact Material

European Commission: Food Contact Materials Legislation

ECHA: Ceramic Articles Directive

קערת ארוחת בוקר

קערה יומיומית שיש בה מקום לערבב את ארוחת הבוקר.



- שחור-לבן
- קובלט
- סומק
- מרווה

קערה יומיומית שיש בה מקום לערבב את ארוחת הבוקר. הצורה משתלבת במשפחת כלי שולחן אחידה, והצבע משאיר את משטח האכילה במרכז. כל הצבעים המוצעים חולקים את אותה צורה.

פרטים עם תפקיד

- פתח רחב
- פנים בהיר וחלק
- פרופיל קומפקטי לערימה

שימוש בלי צעדים מיותרים

1. מוסיפים דגנים או יוגורט מתחת לשפה
2. משאירים מקום לפרי ולערבוב
3. מייבשים את הבסיס לפני הערימה

מערכת חומרים מוצעת

מוצע: כלי אבן בשריפה גבוהה עם גלזורה חלקה בשני גוונים.

מידות יעד

מידות יעד מוצעות: קוטר 17 ס״מ × גובה 6 ס״מ; נפח יעד עד השפה 650 מ״ל

רשימת רכיבים מוצעת

רכיבים מוצעים: כלי אבן בשריפה גבוהה עם גלזורה חלקה בשני גוונים.

מסלול ייצור

עיצוב וגימור הגוף, זיגוג פנימי וחיצוני, שריפה וליטוש הבסיס.

טיפול וניקוי לאימות

טיפול מוצע: שטיפה בסבון עדין עם מברשת רכה או ספוג, שטיפה במים וייבוש מלא. התאמה למדיח וטמפרטורה מרבית טרם אומתו.

אריזה ושילוח

קופסת קרטון תואמת ערימה עם מפרידי סיב יצוק המבודדים שפות ובסיסים; בדיקות נפילה ורטט לפני שינוע.

העבודה שמאחורי החפץ.

היעדים שלהלן הם פרוטוקול פיתוח מוצע. הם אינם בדיקות שהושלמו, אישורים או הוראות שימוש לצרכן.

בדיקות אימות מוצעות

- ניסוי ערבוב מנה של 350 מ״ל עם משתמשים ובדיקת גלישה
- קינון שש קערות ובדיקת הפרדה לאחר שטיפה
- אימות הרכב החומרים, נדידה למזון והתאמת חומרי הצבע במעבדה מוסמכת לפי שוק היעד ואופן השימוש.
- יעד פיילוט מוצע: 100 מחזורי שטיפה ללא חלקים רופפים, סדקים או שינוי משטח בלתי קביל; הפרוטוקול הסופי ייקבע עם היצרן.
- בדיקת נדידת עופרת וקדמיום, סדקי גלזורה והלם תרמי; אין הצהרת התאמה למיקרוגל או למדיח לפני אימות.

סיכונים לפתרון

- מילוי יתר עדיין גורם לגלישה
- סבולות הגלזורה והבסיס משפיעות על הערימה

שיפור בתכנון

השארת מרווח שימושי בין המנה לשפה כדי לערבב דגנים בלי גלישה מיידית.

ארבעה גימורים. אותה צורה.

מאשרים דוגמאות צבע פיזיות ועקיבות אצוות. שינוי פיגמנט, זיגוג או ציפוי מחייב בדיקה. ההדמיה היא כיוון חזותי ולא תקן צבע.

בדיקת קניין רוחני

טרם הושלמה חוות דעת חופש פעולה או בדיקת זמינות סימן מסחר. לפני הזמנת תבניות מקבעים מהדורת תכנון ומדינות ייצור ומכירה, ובעל מקצוע מוסמך משווה תביעות פטנט וזכויות עיצוב ל-CAD בפועל. השם אודולי וזהות הנקודה האדומה נבדקים בנפרד.

תנאי לשחרור מסחרי

מקבלים הצעות ספקים להשוואה עבור שרטוט סופי, חומר, תבניות, כמות מינימום, אריזה ותוכנית ביקורת. מחשבים עלות נוחתת, עמלות ערוץ, החזרות וגיוס לקוחות לפני קביעת מחיר השקה. למוצר זה אין עלות, מרווח או תחזית ביקוש מאומתים.

מסגרת מקורות רשמיים

WIPO: Launching a New Product, Freedom to Operate
USPTO: Comprehensive Clearance Search for Similar Trademarks
European Commission: Guidelines on the EU General Product Safety Legislative Framework
FDA: Determining the Regulatory Status of Components of a Food Contact Material
European Commission: Food Contact Materials Legislation
ECHA: Ceramic Articles Directive